

1/4




FIG. 1

100

2/4




FIG. 2




FIG. 3

3/4




FIG. 4

FIG. 5

500

SUBSCRIBER #1: WHERE ARE YOU GOING FOR THANKSGIVING? 510
SUBSCRIBER #2: AT THE IN-LAWS IN SAN FRANCISCO. 520
SUBSCRIBER #3: I'LL BE VISITING MY PARENTS IN PHOENIX. 530
SUBSCRIBER #1: WHERE ARE YOU GOING FOR NEW YEAR'S EVE? 540
SUBSCRIBER #2: I'LL BE SKIING IN VAIL.~550
SUBSCRIBER #3: PARTYING IN LAS VEGAS.~560

4/4

SUBSCRIBER #1: WHERE ARE YOU GOING FOR THANKSGIVING?

510

SUBSCRIBER #2: AT THE IN-LAWS IN SAN FRANCISCO.

520

SUBSCRIBER #3: I'LL BE VISITING MY PARENTS IN PHOENIX.

530

SUBSCRIBER #4: I'M NOT GOING ANYWHERE.~670

SUBSCRIBER #1: WHERE ARE YOU GOING FOR NEW YEAR'S EVE?

540

SUBSCRIBER #2: I'LL BE SKIING IN VAIL.~550

SUBSCRIBER #3: PARTYING IN LAS VEGAS.~560

FIG. 6

500

FIG. 7

700

710

GENERATING A MESSAGE CREATION REFERENCE
ASSOCIATED WITH A REAL-TIME COMMUNICATION
MESSAGE GENERATED BY ONE OF A PLURALITY
OF SUBSCRIBERS



TRANSMITTING THE MESSAGE CREATION REFERENCE
AND THE REAL-TIME COMMUNICATION MESSAGE
SO THAT THE REAL-TIME COMMUNICATION
MESSAGE IS ARRANGED RELATIVE TO THE
PLURALITY OF REAL-TIME COMMUNICATION
MESSAGES DURING THE REAL-TIME COMMUNICATION
SESSION BASED ON THE MESSAGE CREATION REFERENCE

720